Listing of Claims

1-26. (Cancelled)

1	27. (Previously Presented) An apparatus for predicting the location
2	of a mobile subscriber unit in a wireless communications network of base
3	transceiver stations, comprising:
4	means for generating predicted levels of reception of signals of base
5	transceiver stations, for a plurality of locations in the network;
6	a plurality of mobile subscriber units, each mobile subscriber unit
7	comprising means for measuring reception levels of signals of base
8	transceiver stations detected by the mobile subscriber unit, where at least one
9	mobile subscriber unit further comprises a position location receiver, and
10	means, responsive to the position location receiver and the means for
11	measuring reception levels, for providing combined position location and
12	reception levels to a base transceiver station; and
13	means, responsive to the combined position location and reception
14	levels received from a mobile subscriber unit, for updating the predicted
15	levels of reception.

- 1 28. (Previously Presented) An apparatus as set forth in claim 27,
- 2 where the means for generating predicted levels of reception comprises a
- 3 network planning tool.

29. (Cancelled)

- 1 30. (Previously Presented) An apparatus as set forth in claim 27,
- 2 further comprising a database comprising the predicted levels of reception at
- 3 a plurality of locations.
- 1 31. (Previously Presented) An apparatus as set forth in claim 27,
- where the mobile subscriber units comprise cellular telephones.
- 1 32. (Previously Presented) An apparatus as set forth in claim 27,
- where the position location receiver comprises a GPS receiver.
- 1 33. (Previously Presented) An apparatus as set forth in claim 27,
- 2 further comprising means, responsive to reception levels not associated with a
- 3 position location, received from a mobile subscriber unit, for identifying a
- 4 predicted location corresponding to the received reception levels.

1	34. (Previously Presented) An apparatus as set forth in claim 33,
2	where the base transceiver station comprises means, responsive to a
3	predicted location, for providing location-specific information to a mobile
4	subscriber unit.

- 35. (Previously Presented) An apparatus as set forth in claim 34, where the location-specific information comprises commercial or safety information.
- 1 36. (Previously Presented) A method of predicting the location of a
 2 mobile-subscriber unit in a wireless communications network of base
 3 transceiver stations, comprising:
 - generating predicted levels of reception of signals of base transceiver stations, for a plurality of locations in the network;
 - measuring reception levels of signals of base transceiver stations detected at a known location; and
 - in response to measuring reception levels at a known location, updating the predicted levels of reception.

1

2

3

4

5

6

7

8

9

- 1 37. (Previously Presented) A method as set forth in claim 36,
- 2 further comprising
- 3 receiving reception levels not associated with a position location; and
- 4 identifying a predicted location corresponding to the received
- 5 reception levels.
- 1 38. (Previously Presented) A method as set forth in claim 37, where, 2 in response to a predicted location, providing location-specific information to a
- 3 mobile subscriber unit.
- 1 39. (Previously Presented) A method as set forth in claim 38, where
- 2 providing location-specific information to a mobile subscriber unit comprises
- 3 providing commercial or safety information.